Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
13	23108	(auto or automobile or car or vehicle or vehicular) and radar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:25
L2	3386	fm-cw or cw-fm or fmcw or cwfm or ((frequency adj modulated) and (continuous adj wave))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:26
L3	1052	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:26
L4	24272	beat same frequency	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:26
L5	375	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:43
L6	1024547	peak or threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:43
L7	244	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:43
L8	26814	ascending same descending	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:43

L9	48438	rising same falling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:44
L10	164	upswing same downswing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:44
L11	1008157	up same down	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:44
L12	1064589	8 9 10 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:44
L13	133	7 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/02/06 11:45
L14	5024207	distance or range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:45
L15	3161567	velocity or speed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:45
L16	1434993	14 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 11:45

L17	133	13 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 12:20
L18	18 92395 roadside or road-side or (road same side)		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 12:20
L19	44	17 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 12:20
L20	411341	roadside or road-side or (road same side) or road	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 12:21
L21	65	17 and 20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 12:57
L22	4047	((342/70) or (342/71) or (342/72) or (342/109) or (342/111) or (342/115) or (342/192) or (342/196) or (340/435) or (340/436) or (701/301)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/06 13:04
L23	3291	22 and @ad<="20021017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/06 13:04

SEARCH NOTES FOR EAST AND IEEE

SERIAL NUMBER

10682296

EAST: search history attached

Search terms:

(automotive <or> vehicular) <and> radar <and> (peak <or> threshold)

1 Vehicular pulse-radar with very low false alarm rate by on-off pulse control and adaptive threshold

Yong Cheol Kim; Byung Cheol Choi;

Vehicular Technology Conference Proceedings, 2000. VTC 2000-Spring Tokyo. 2000

IEEE 51st, Volume: 2, 15-18 May 2000

Pages: 1596 - 1600 vol.2

2 An algorithm for detecting roads and obstacles in radar images

Kaliyaperumal, K.; Lakshmanan, S.; Kluge, K.;

Vehicular Technology, IEEE Transactions on , Volume: 50 , Issue: 1 , Jan. 2001

Pages: 170 - 182

3 Polarimetric characterization of debris and faults in the highway environment at millimeter-wave frequencies

Sarabandi, K.; Li, E.S.;

Antennas and Propagation, IEEE Transactions on , Volume: 48 , Issue: 11 , Nov.

2000

Pages: 1756 - 1768

4 LEXLUTHER: an algorithm for detecting roads and obstacles in radar images

Lakshmanan, S.; Kaliyaperumal, K.; Kluge, K.;

Intelligent Transportation System, 1997. ITSC 97. IEEE Conference on , 9-12 Nov.

1997

Pages: 415 - 420

5 Novel method of decreasing influence of phase noise on FMCW radar

Kulpa, K.S.;

Radar, 2001 CIE International Conference on, Proceedings, 15-18 Oct. 2001

Pages:319 - 323

6 A compact, 35 GHz, phase-locked gyrotron oscillator with subharmonic injection

Guo, H.; Carmel, Y.; Granatstein, V.L.; Scannell, E.; Spang, S.;

Plasma Science, 1990. IEEE Conference Record - Abstracts., 1990 IEEE International Conference on , 21-23 May 1990

Pages:210

7 Principles of space-time array processing for ultrawide-band impulse radar and radio communications

Hussain, M.G.M.;

Vehicular Technology, IEEE Transactions on , Volume: 51 , Issue: 3 , May 2002

Pages: 393 - 403

8 A locally optimal handoff algorithm for cellular communications

Veeravalli, V.V.; Kelly, O.E.;

Vehicular Technology, IEEE Transactions on , Volume: 46 , Issue: 3 , Aug. 1997

Pages:603 - 609

9 Effect of radar polarizations on detectability of debris on roads at millimeter-wave frequencies

Sarabandi, K.; Li, E.S.;

Antennas and Propagation Society International Symposium, 1999. IEEE , Volume: 4 , 11-16 July 1999

Pages: 2234 - 2237 vol.4

10 Cost-minimized 24 GHz pulse oscillator for short-range automotive radar applications

Kryshtopin, A.; Sevskiy, G.; Markov, K.; Heide, P.; Nalezinski, M.; Roskosch, R.; Vossiek, M.;

Microwave Conference, 2003. 33rd European , Volume: 3 , 7-9 Oct. 2003

Pages:1131 - 1134 Vol.3

11 A basic study of millimeter-wave absorber for two frequency bands using transparent resistive films

Soh, T.; Kondo, A.; Toyota, M.; Hashimoto, O.;

Electromagnetic Compatibility, 2003 IEEE International Symposium on , Volume: 1 , 18-22 Aug. 2003

Pages:149 - 154 vol.1

12 Impacts of mobile radar and telecommunications systems on Earth remote sensing in the 22-27 GHz range

Gasiewski, A.J.; Ruf, C.S.; Younis, M.; Wesbeck, W.;

Geoscience and Remote Sensing Symposium, 2002. IGARSS '02. 2002 IEEE

International, Volume: 3, 24-28 June 2002

Pages:1679 - 1681 vol.3

13 Close, but no cigar: assessment of a headway warning device

Groeger, J.A.;

Automotive Radar and Navigation Techniques (Ref. No. 1998/230), IEE Colloquium on , 9 Feb. 1998

Pages:5/1 - 5/4

Dial g DataStar options logoff feedback help databasis tard page

Titles

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the t page. To view one particular document click the link above the title to display immediately.

Documents 1 to 17 of 17 from your search "(automotive OR vehicular) AND radar AND (peak OR threshold)" in all the available information: Number of titles selected from other pages: 0						
	Select All					
<u> </u>	display full document					
	2003. (INZZ) Cost-minimized 24 GHz pulse oscillator for short-range automotive radar applications.					
2	display full document					
	2003. (INZZ) A basic study of millimeter-wave absorber for two frequency bands using transparent resistive films.					
5 3	display full document					
	2003. (INZZ) Research of vehicular laser passive reconnaissance warning system.					
F 4	display full document					
	2002. (INZZ) Impacts of mobile radar and telecommunications systems on Earth remote sensing in the 22-27 GHz range.					
<u> </u>	display full document					
	2001. (INZZ) Novel method of decreasing influence of phase noise on FMCW radar.					
<u> </u>	display full document					
	2002. (INZZ) Principles of space-time array processing for ultrawide-band impulse radar and radio communications.					
7	display full document					
	2001. (INZZ) An algorithm for detecting roads and obstacles in radar images.					
☐ 8	display full document					
	2000. (INZZ) Polarimetric characterization of debris and faults in the highway environment at millimeter-wave frequencies.					
☐ 9	display full document					
	2000. (INZZ) Vehicular pulse-radar with very low false alarm rate by on-off pulse control and adaptive threshold .					
T 10	display full document					
	1999. (INZZ) Effect of radar polarizations on detectability of debris on roads at millimeter-wave frequencies.					
T 11	display full document					

1999. (INZZ) Laser radar using a 1.55 mu m passively Q-switched microchip laser.

12	display full document
	1997. (INZZ) LEXLUTHER: an algorithm for detecting roads and obstacles in radar images.
13	display full document
	1998. (INZZ) Close, but no cigar: assessment of a headway warning device.
14	display full document
	1997. (INZZ) A locally optimal handoff algorithm for cellular communications.
15	display full document
	1996. (INZZ) A method for accomplishing accurate RCS image in compact range.
16	display full document
	1994. (INZZ) Frequency modulated continuous wave radar signal processing to improve active safety features.
17	display full document
	1990. (INZZ) A compact, 35 GHz, phase-locked gyrotron oscillator with subharmonic injection.

Selection	Display Format	Output Format	ERA SM Electronic Redistribution &	Archivir	
from this page from all pages	Full Free Short Medium Custom Help with Formats	♠ HTML↑ Tagged (for tables)↑ PDF↑ RTF	Copies you will redistribute: Employees who will access archived record (s): Help with ERA	1	
	Sort your	entire search ı	r esult by Publication year As	cending	

Top - News & FAQS - Dialog

© **2005** Dialog

